

270

DECORATIVE LIGHTING FIXTURES


JACK SMOLENS
5824 No. 13th St.
PHILADELPHIA

CATALOG No 35

GERINGER LIGHTING FIXTURE MFG. CO.
67 Spring Street New York, N. Y.

"THE FORTY-SIX HUNDRED LINE"

FINISHES: CHROMIUM AND BRONZE, BRONZE AND GOLD, BRONZE



No. 4607
ONE LIGHT BRACKET
 Wall Plate 9"x4 1/2"; Extends 4 1/2"
 Standard Quantity—Ten


No. 4605D
FIVE LIGHT DROP FIXTURE
 Length 36"; Spread 18"
 Wired with four-way center tassel switch.
 For example: First turn, two lights; second turn, three lights; third turn, five lights; fourth turn, all out.
 Standard Quantity—Five

No. 4605S.F.
FIVE LIGHT SEMI-FLUSH FIXTURE
 Length 20"; Spread 18"
 Standard Quantity—Five

GLASSWARE: Cream colored iridescent glass, with brown toning.
 (When ordering in Chromium and Bronze, specify "A" as "No. 4605D-A")

"THE FIFTY-FIVE HUNDRED LINE"

FINISHES: TWO TONE BRONZE, SILVER AND BLACK



No. 5503D
THREE LIGHT DROP FIXTURE
Length 36"; Spread 16"
Standard Quantity—Five

No. 5505D
FIVE LIGHT DROP FIXTURE
Length 36"; Spread 20"
Wired with four-way center tassel switch
Standard Quantity—Five

No. 5507
ONE LIGHT BRACKET
Wall Plate 9"x4½"; Extends 5"
Standard Quantity—Ten

No. 5503S.F.
THREE LIGHT SEMI-FLUSH FIXTURE
Length 20"; Spread 16"
Standard Quantity—Five

No. 5505S.F.
FIVE LIGHT SEMI-FLUSH FIXTURE
Length 20"; Spread 20"
Standard Quantity—Five

No. 5501
ONE LIGHT HALL LANTERN
Length 34"; Spread 12"
Standard Quantity—Five
(Same as No. 401 with glass to match)

GLASSWARE: Soft Mellow "Ivo-Glo" glass shades.


THIS LINE ALSO FURNISHED WITH ATTRACTIVE LOOP, WHEN ORDERING SPECIFY **No. 4500**

LINE as, "4505D, 4503D." (No. 4505D wired with four-way center tassel switch.)

(Nos. 5505S.F., 5501 not illustrated)

"THE FOUR HUNDRED LINE"

FINISHED IN CHROMIUM AND BRONZE



No. 401
ONE LIGHT HALL LANTERN
Length 34"; Spread 12"
Standard Quantity—Five

No. 405S.F
FIVE LIGHT SEMI-FLUSH FIXTURE
Length 20"; Spread 20"
Standard Quantity—Five

No. 405D
FIVE LIGHT DROP FIXTURE
Length 36"; Spread 20"
Wired with four-way center tassel switch
Standard Quantity—Five

No. 407
ONE LIGHT BRACKET
Wall Plate 9"x4½"; Extends 5"
Standard Quantity—Ten

No. 403D
THREE LIGHT DROP FIXTURE
Length 36"; Spread 16"
Standard Quantity—Five

No. 403S.F
THREE LIGHT SEMI-FLUSH FIXTURE
Length 20"; Spread 16"
Standard Quantity—Five

GLASSWARE: Soft Mellow "Ivo-Glo" glass shades.
(Nos. 403D, 403S.F not illustrated)

"THE FIVE THOUSAND LINE"

FINISHED IN TWO-TONE BRONZE



No.	Lights	Wall Plate	Extends	Std. Quantity
5407	1-Lt. Bracket	9"x4 1/2"	5"	10
		Length	Spread	
5403D	3-Lt. Drop	36"	16"	5
5403S.F.	3-Lt. Semi-flush	16"	16"	5
5405D	7-Lt. Drop	38"	20"	5
5405S.F.	7-Lt. Semi-flush	18"	20"	5
5705D	5-Lt. Drop	36"	19"	5
5705S.F.	5-Lt. Semi-flush	16"	19"	5


GLASSWARE: Cream colored iridescent glass, with brown toning.

(No. 5405D wired with four-way center tassel switch. When ordering No. 5705D with four-way center tassel switch specify "No. 5705D-A")

(Nos. 5403D, 5405S.F., 5705S.F. not illustrated)

"THE FOUR THOUSAND LINE"

FINISHES: BRONZE, PEWTER



No.	Lights	Wall Plate	Extends	Std. Quantity
4407	1-Lt. Bracket	9"x4 1/2"	5"	10
		Length	Spread	
4403D	3-Lt. Drop	36"	16"	5
4403S.F	3-Lt. Semi-flush	12"	16"	5
4405D	7-Lt. Drop	36"	20"	5
4405S.F	7-Lt. Semi-flush	14"	20"	5
4705D	5-Lt. Drop	36"	19"	5
4705S.F	5-Lt. Semi-flush	12"	19"	5


GLASSWARE: Cream colored iridescent glass, with brown toning.

(No. 4405D wired with four-way center tassel switch. When ordering No. 4705D with four-way center tassel switch specify "No. 4705D-A")

(Nos. 4403S.F, 4705S.F, 4405S.F not illustrated)

"THE FORTY-EIGHT HUNDRED LINE"


FINISHES: TWO TONE BRONZE, GOLD, SILVER AND BLACK




4805 C



4805 D



4807



4905 S. F.

No. 4805D

SEVEN LIGHT DROP FIXTURE

Length 38"; Spread 18 1/2"
Wired with four-way center tassel switch
Standard Quantity—Five

No. 4805C

SEVEN LIGHT CANDLE FIXTURE

Length 38"; Spread 18 1/2"
Wired with four-way center tassel switch
Standard Quantity—Five

No. 4805S.F

SEVEN LIGHT SEMI-FLUSH FIXTURE

Length 16"; Spread 18 1/2"
Standard Quantity—Five

No. 4905S.F

SEVEN LIGHT DROP FIXTURE

Wired with sign receptacles
Length 16"; Spread 18 1/2"
Standard Quantity—Five

No. 4905D

SEVEN LIGHT DROP FIXTURE

Wired with sign receptacles and four-way center tassel switch.
Length 38"; Spread 18 1/2"
Standard Quantity—Five

No. 4807

ONE LIGHT BRACKET

Wall Plate 9"x4 1/2"; Extends 5"
Standard Quantity—Ten

GLASSWARE: Cream colored iridescent glass with brown toning.
(Nos. 4805S.F, 4905D not illustrated)

"THE THREE THOUSAND LINE"

FINISHES: BRONZE, SILVER AND BLACK, SILVER AND GOLD



No. 3705D
FIVE BY ONE DROP FIXTURE
 Length 36"; Spread 18½"
 Wired with four-way switch
 Standard Quantity—Five

No. 3405D
FIVE BY ONE DROP FIXTURE
 Length 36"; Spread 18½"
 Wired with four-way switch
 Standard Quantity—Five

No. 3505D
FIVE BY ONE DROP FIXTURE
 Length 36"; Spread 18½"
 Wired with four-way switch
 Standard Quantity—Five

No. 3406
ONE LIGHT BRACKET
 Wall Plate 9½"x5"; Extends 4"
 Standard Quantity—Ten

No. 3507
ONE LIGHT BRACKET
 Wall Plate 8"x4½"; Extends 4"
 Standard Quantity—Ten


No. 3700
ONE LIGHT HALL LANTERN
 Length 36"; Spread 8"
 Standard Quantity—Five
 Wired pull chain socket

GLASSWARE: Mirrored Design on White Frosted Glass


(When ordering Five By One fixtures in Candle type specify letter "C" after last number, as "3405C." When brackets or lanterns are desired to match fixture, displace second number of bracket or lantern and use second number of Five By One fixture, as "No. 3500, 3706.")

"THE ELEVEN HUNDRED LINE"


FINISHES: OLD IVORY, IVORY AND POLYCHROME, OLD GOLD, GOLD AND POLYCHROME,
SILVER AND BLACK, BRONZE, PEWTER AND GOLD




1102




1103




1105



1101



1107



1106


No.	Lights	Depth	Spread	Std. Quantity
1101	1-Lt. Beam Light	6"	9"	25
1102	2-Lt. Flush	3 1/2"	14"	10
1103	3-Lt. Flush	3 1/2"	16"	10
1105	5-Lt. Flush	4"	17"	5
			Wall Plate	
1106	2-Lt. Bracket	1 1/2"	10 1/2" x 4 1/2"	10
1107	1-Lt. Bracket	1 1/2"	10 1/2" x 4 1/2"	20
1107P	1-Lt. Bracket Convenient Outlet	1 1/2"	10 1/2" x 4 1/2"	10

All drops wired with canopy switches.

(This line furnished in Drop or Semi-flush positions. When ordering specify letters "D or S.F."
as "No. 1102D, 1102S.F.")

"THE THIRTEEN HUNDRED LINE"

FINISHES: IVORY AND BROWN, OLD GOLD, ENGLISH BRASS, TWO TONE BRONZE



No.	Lights	Depth	Spread	Std. Quantity
1301	1-Lt. Beam Light	5"	8"	20
1302	2-Lt. Flush	3"	14"	10
1303	3-Lt. Flush	3"	15"	10
1305	5-Lt. Flush	3 1/2"	17"	5
			Wall Plate	
1306	2-Lt. Bracket	1 1/2"	10 1/2" x 4 1/2"	10
1307	1-Lt. Bracket	1 1/2"	10 1/2" x 4 1/2"	10
1307P	1-Lt. Bracket Convenient Outlet	1 1/2"	10 1/2" x 4 1/2"	10

The Nos. 1302, 1303, 1305 furnished with a stamped socket cover which was designed especially for our "1300 Line." The sunburst frayed edge of the socket cover blends with the design of the cast plate, thus lending charm and sophistication to this type of flush fixture.

(If this line is preferred with sign receptacles as No. 1100 line, specify "No. 1202, 1203, 1205")

"THE LANTERN LINE"

FINISHES: { NOS. 144, 700, 600—PEWTER, GOLD, BRONZE.
NOS. 100, 150—GOLD, BRONZE, SILVER AND BLACK, SILVER AND GOLD.



No. 100

ONE LIGHT HALL LANTERN
Length 36"; Cage 5½"x10"
Wired with pull chain socket
Standard Quantity—Ten

No. 150

ONE LIGHT HALL LANTERN
Length 36"; Cage 5½"x10"
Wired with pull chain socket
Standard Quantity—Ten

No. 144

ONE LIGHT MODERNISTIC HALL LANTERN

Length 36"; Cage 8"x10½"
Wired with pull chain socket
Standard Quantity—Five

No. 700

ONE LIGHT MODERNISTIC HALL LANTERN

Length 36"; Cage 8"x11"
Wired with keyless socket
Standard Quantity—Five

No. 600

ONE LIGHT MODERNISTIC HALL LANTERN

Length 36"; Cage 6"x11"
Wired with pull chain socket
Standard Quantity—Ten

GLASSWARE: { Nos. 600, 700—Mirrored design on white frosted glass.
Nos. 150, 100—Amber or white crystal glass to match finish.
No. 144—Sprayed Amber panel with frosted design.

FOR KITCHEN AND BATH



No. 97

Length 8"
Width 8 $\frac{3}{4}$ "



No. 99

Length 10 $\frac{1}{2}$ "
Width 9"



No. 101

Length 6 $\frac{1}{2}$ "
Width 9 $\frac{1}{2}$ "
Lights 2

These ideal ceiling pieces are in keeping with the present style trends and lighting requirements. The genuine chromium plate on the brass holder are impervious to steam or heat. The opal white glass gives a perfect and efficient light.



No. 103

Back Plate 7 $\frac{1}{4}$ "x4 $\frac{1}{8}$ "
Projects 6"



No. 105

Length 6"
Width 11"



No. 107

Back Plate 5"
Projects 6"

Finished in genuine chromium plate, and with "Ferlux" Pressed Glass Shades these modern fitments for bath and dressing room while simple and interesting in design are high in lighting efficiency.


"THE FOUR THOUSAND AND FIVE LINE"




4007




4006




4005C



4005D



4003D



4005S.F

FINISHES: BRONZE, SILVER AND BLACK, OLD GOLD


No.	Lights	Length	Spread	Std. Quantity
4002D	2-Lt. Drop	36"	15"	10
4002S.F	2-Lt. Semi-flush	12"	15"	5
4003D	3-Lt. Drop	36"	16"	10
4003S.F	3-Lt. Semi-flush	12"	16"	5
4005D	5-Lt. Drop	36"	18 1/2"	10
4005C	5-Lt. Candle	36"	18 1/2"	5
4005S.F	5-Lt. Semi-flush	12"	18 1/2"	5
		Wall Plate	Extends	
4006	2-Lt. Bracket	10 1/2" x 4 1/2"	3 1/2"	10
4007	1-Lt. Bracket	10 1/2" x 4 1/2"	3 1/2"	20

All drop and candle fixtures wired with canopy switch.


(If No. 4005D is desired with brass sockets, ball lamp adapters and four-way switch, specify "No. 5005D")

(Nos. 4002D, 4002S.F, 4003S.F not illustrated)


"THE THREE THOUSAND AND FIVE LINE"




3003 S.F




3005D



3006




3001



3005C



3007



5-SF

3005S.F

FINISHES: BRONZE, SILVER AND BLACK, OLD GOLD

No.	Lights	Depth	Spread	Std. Quantity
3001	1-Lt. Beam Light	6"	9"	25
		Length		
3002D	2-Lt. Drop	36"	15"	5
3002C	2-Lt. Candle	36"	15"	5
3002S.F	2-Lt. Semi-flush	12"	15"	5
3003D	3-Lt. Drop	36"	16"	5
3003C	3-Lt. Candle	36"	16"	5
3003S.F	3-Lt. Semi-flush	12"	16"	5
3005D	5-Lt. Drop	36"	18"	10
3005C	5-Lt. Candle	36"	18"	5
3005S.F	5-Lt. Semi-flush	12"	18"	5
		Wall Plate	Extends	
3006	2-Lt. Bracket	10 1/2" x 4 1/2"	3 1/2"	10
3007	1-Lt. Bracket	10 1/2" x 4 1/2"	3 1/2"	20

Nos. 3005D, 3005C wired with four-way switch. Two and three light drops and candles wired with canopy switch.
(Nos. 3003D, 3003C, 3002D, 3002C, 3002S.F not illustrated)



No. 81

Length 12"; Width $8\frac{3}{8}$ "
The white sides and crystal bottom of the glass globes are of one piece. Safe, efficient and good looking.
Standard Quantity—Twelve




No. 701

ONE LIGHT BRACKET
Wall Plate $9'' \times 4\frac{1}{2}''$; Extends 4"
Standard Quantity—Ten



No. 83

Length $7\frac{1}{2}''$; Width $6\frac{3}{8}''$
The very latest for kitchen or bath. Decorative, yet the shape is highly efficient and the aperture throws light downward where it is needed.
Standard Quantity—Twelve



No. 702

TWO LIGHT FLUSH FIXTURE
Depth 4"; Spread 14"
Standard Quantity—Five




No. 87

Wall Plate 5"; Extends $7\frac{1}{2}''$
Width of Glass $6\frac{1}{4}''$
Standard Quantity—Six

No. 87P


Furnished with convenient outlet—
Standard Quantity—Six



No. 85


Wall Plate $6'' \times 3\frac{3}{8}''$; Extends $3\frac{1}{4}''$
Standard Quantity—Six

These simple and lovely wall lights harmonize with the fittings of the modern bathroom.



No. 703

THREE LIGHT FLUSH FIXTURE
Depth 4"; Spread 15"
Standard Quantity—Five



No. 89

Wall Plate $7\frac{1}{2}'' \times 4\frac{1}{2}''$; Extends $4\frac{1}{4}''$
Standard Quantity—Six

Nos. 701, 702, 703

FINISHES: BRONZE, OLD GOLD, ANTIQUE IVORY
GLASSWARE: SPRAYED WHITE HILITED OR CHAMPAGNE HONEY HILITED.

Nos. 81, 83, 85, 87, 89

FINISHED IN CHROMIUM. GLASSWARE: FERLUX.



No. 91

Hanger No. 50

Fitter 6"; Width 9"; Length 13"
Standard Quantity—Eight

Hanger No. 50

Finished in Bronze
Standard Quantity—Twenty-five



No. 93

Fitter 6"; Width 9"; Length 12"
Standard Quantity—Eight




No. 95

Hanger No. 60

Fitter 6"; Width 9"; Length 12"
Standard Quantity—Eight

Hanger No. 60

Finished in Bronze
Standard Quantity—Twenty-five



No. 79

TWO LIGHT FLUSH FIXTURE

Depth 5"; Spread 12"
Standard Quantity—Twelve
Finish: Chromium

EITHER HANGERS OR GLASSWARE SOLD SEPARATELY
GLASSWARE F.O.B. MORGANTOWN, W. VA.



No. 6200


ONE LIGHT INDIRECT FIXTURE

Length 44"; Spread 16"

Polished aluminum solid stem hanger
Four etched and polished Louvres

No. 6100

(See Bottom of Page)




No. 500

TWO LIGHT FLUSH FIXTURE

Depth 6"; Spread 14"


Six Panels, Enclosed Bottom
Frosted Glass



No. 448

**ONE LIGHT MODERNISTIC STORE
FIXTURE**


Length 36"; Size of Cage 12"x16 1/2"
Eight Panels, Eight Tubes, Crystal Bottom
Glass Frosted or Mirrored
(Please Specify)



No. 6000

6"x14" MUSHROOM GLOBE

Metal Louvre, concealed chain
Polished aluminum finish



No. 400

TWO LIGHT FLUSH FIXTURE

Depth 11"; Spread 10"

Six Panels, Six Tubes, Crystal Bottom
Mirrored Design on White Frosted Glass

Tubes on Nos. 500, 400, 448 furnished in white frosted, amber, green and blue.
Fixtures finished in Pewter.

(If No. 6200 is desired with three Louvres, specify "No. 6100")
(Length 40"; Spread 14")

PRICE LIST

GERINGER LIGHTING FIXTURE MANUFACTURING CO.

67 Spring Street, New York, N. Y.

CATALOG NO. THIRTY-FIVE

Under existing circumstances prices are subject to change without notice.

INSTRUCTIONS FOR ORDERING

- A. Always use catalog number when ordering.
- B. Kindly specify finish.
- C. Orders from accounts that have not established credit with us must be accompanied with three references or a 25% deposit.
- D. Definite shipping instructions should be given with each order, otherwise we will use our own judgment in routing shipments.
- E. Merchandise returned to us for any reason without our written consent will not be accepted.

Catalog No.	Price	Page	Catalog No.	Price	Page	Catalog No.	Price	Page
50, Hanger	1.95	15	1106	2.40	8	4005C	5.70	12
60, Hanger	1.95	15	1107	1.95	8	4006	2.40	12
79	4.05	15	1107P	2.40	8	4007	1.95	12
81	3.00	14	1202F	2.10	9	4403S.F	7.80	5
83	3.00	14	1203F	2.70	9	4403D	8.25	5
85	6.75	14	1205F	4.80	9	4405S.F	13.05	5
87	5.10	14	1301	1.35	9	4405D	13.50	5
87P	5.55	14	1302F	3.60	9	4407	3.00	5
89	5.85	14	1303F	4.95	9	4503S.F	10.95	2
91	3.00	15	1305F	6.75	9	4503D	11.40	2
93	3.00	15	1306	2.70	9	4505S.F	13.80	2
95	3.00	15	1307	2.25	9	4505D	14.25	2
97	3.75	11	1307P	2.70	9	4605S.F	17.55	1
99	3.75	11	3001	1.20	13	4605D	18.00	1
100	4.20	10	3002S.F	4.05	13	4605S.F-A Chromium & Bronze	20.55	1
101	5.55	11	3002D	4.50	13	4605D-A Chromium & Bronze	21.00	1
103	5.10	11	3002C	4.50	13	4607	4.50	1
105	7.65	11	3003S.F	4.80	13	4705S.F	9.30	5
107	5.10	11	3003D	5.25	13	4705D	9.75	5
144	4.20	10	3003C	5.25	13	4705D-A	10.50	5
150	4.50	10	3005S.F	6.30	13	4805S.F	10.05	6
400	9.00	16	3005D	6.75	13	4805D	10.50	6
401	9.00	3	3005C	6.75	13	4805C	10.50	6
403S.F	16.05	3	3006	2.40	13	4807	3.00	6
403D	16.50	3	3007	1.95	13	4905S.F	9.00	6
405S.F	20.55	3	3400	3.30	7	4905D	9.45	6
405D	21.00	3	3405D	10.80	7	5005S.F	6.30	12
407	4.95	3	3405C	10.80	7	5005D	6.75	12
448	9.00	16	3406	4.50	7	5403S.F	10.05	4
500	9.75	16	3407	3.30	7	5403D	10.50	4
600	3.30	10	3500	3.30	7	5405S.F	14.85	4
700	4.50	10	3505D	10.80	7	5405D	15.30	4
701	3.60	14	3505C	10.80	7	5407	3.00	4
702	4.80	14	3506	4.50	7	5501	8.25	2
703	6.60	14	3507	3.30	7	5503S.F	12.75	2
1101	1.20	8	3700	3.30	7	5503D	13.20	2
1102F	1.95	8	3705D	10.80	7	5505S.F	15.60	2
1102S.F	3.60	8	3705C	10.80	7	5505D	16.05	2
1102D	4.05	8	3706	4.50	7	5507	3.75	2
1103F	2.40	8	3707	3.30	7	5705S.F	11.10	4
1103S.F	3.90	8	4002S.F	3.60	12	5705D	11.55	4
1103D	4.35	8	4002D	4.05	12	5705D-A	12.30	4
1105F	4.20	8	4003S.F	4.20	12	6000	12.00	16
1105S.F	6.00	8	4003D	4.65	12	6100	12.00	16
1105D	6.45	8	4005S.F	4.95	12	6200	18.00	16
			4005D	5.40	12			

